


**LAKESIDE CENTER  
LEVEL 3  
HALL D**

**2012 INTERNATIONAL HOME + HOUSEWARES SHOW  
MARCH 10-13, 2012 (Saturday - Tuesday)**

FLOOR PLANS WERE PRINTED ON OCTOBER 14, 2011 AND DO NOT REFLECT CHANGES IN BOOTH ASSIGNMENT AFTER THAT DATE.


**WIRED + WELL EXPO**



**MOVE-IN TARGET DATES & TIMES**

	7:00 AM	THURSDAY	MARCH 1
	NOON	THURSDAY	MARCH 1
	7:00 AM	FRIDAY	MARCH 2
	NOON	FRIDAY	MARCH 2
	7:00 AM	MONDAY	MARCH 5
	NO FREIGHT, FIRE & SAFETY AISLE		

Service Corridor: Service of utilities should be supplied at the rear of booths. Exhibit Structures must have a one foot unobstructed corridor in the rear and six inches on one side to allow passage for cable and maintenance personnel.



**EXHIBIT HALL FLOOR PORT LEGEND**

- ⊠ ELECTRICAL SERVICE FLOOR PORT
  - 3 - 120V 15 AMP. RECEPTACLES
  - 2 - TELEPHONE JACKS
- ⊠ ELECTRICAL SERVICE FLOOR PORT
  - 1 - 480V 100 AMP. RECEPTACLE
  - 3 - 120V 15 AMP. RECEPTACLES
  - 1 - 208V 60 AMP. RECEPTACLE
  - 2 - TELEPHONE JACKS
- ⊠ MECHANICAL SERVICE FLOOR PORT
  - 4" DRAIN
  - 1" DOMESTIC WATER 60 PSI (35 GPM)
  - 1" NATURAL GAS 1 PSI (27 WC)
  - 1" COMPRESSED AIR 100 PSI (180 CFM)
- ⊠ MECHANICAL SERVICE FLOOR PORT SAME AS ABOVE PLUS:
  - 2" STEAM
  - RETURN CONDENSATION 1-1/4"
  - 100 PSI

**INTL SYMBOLS**


**DISCLAIMER**

EVERY EFFORT HAS BEEN MADE TO ENSURE THE ACCURACY OF ALL INFORMATION CONTAINED ON THIS FLOORPLAN. HOWEVER NO WARRANTIES, EITHER EXPRESSED OR IMPLIED ARE MADE WITH RESPECT TO THIS FLOORPLAN. IF THE LOCATION OF BUILDING COLUMNS, UTILITIES OR OTHER ARCHITECTURAL COMPONENTS OF THE FACILITY IS A CONSIDERATION IN THE CONSTRUCTION OR USAGE OF AN EXHIBIT, IT IS THE SOLE RESPONSIBILITY OF THE EXHIBITOR TO PHYSICALLY INSPECT THE FACILITY TO VERIFY ALL DIMENSIONS AND LOCATIONS.

© COPYRIGHT 2008 FIREMAN DECORATING CO. ALL RIGHTS RESERVED.

